




Linear Regression



Major: Computer Engineering

Authors: Autar Kaw, Luke Snyder

What is Regression?

What is regression? Given n data points $(x_1, y_1), (x_2, y_2), \dots, (x_n, y_n)$ best fit $y = f(x)$ to the data. The best fit is generally based on minimizing the sum of the square of the residuals, S_r .

Residual at a point is

$$\varepsilon_i = y_i - f(x_i)$$

Sum of the square of the residuals

$$S_r = \sum_{i=1}^n (y_i - f(x_i))^2$$




Figure. Basic model for regression

Linear Regression-Criterion#1

Given n data points $(x_1, y_1), (x_2, y_2), \dots, (x_n, y_n)$ best fit $y = a_0 + a_1 x$ to the data.




Figure. Linear regression of y vs. x data showing residuals at a typical point, x_i .

Does minimizing $\sum_{i=1}^n \varepsilon_i$ work as a criterion, where $\varepsilon_i = y_i - (a_0 + a_1 x_i)$

Example for Criterion#1

Example: Given the data points $(2,4)$, $(3,6)$, $(2,6)$ and $(3,8)$, best fit the data to a straight line using Criterion#1

Table. Data Points

x	y
2.0	4.0
3.0	6.0
2.0	6.0
3.0	8.0




Figure. Data points for y vs. x data.

Linear Regression-Criteria#1

Using $y=4x-4$ as the regression curve

Table. Residuals at each point for regression model $y = 4x - 4$.

x	y	$y_{\text{predicted}}$	$\varepsilon = y - y_{\text{predicted}}$
2.0	4.0	4.0	0.0
3.0	6.0	8.0	-2.0
2.0	6.0	4.0	2.0
3.0	8.0	8.0	0.0
			$\sum_{i=1}^4 \varepsilon_i = 0$




Figure. Regression curve for $y=4x-4$, y vs. x data

Linear Regression-Criteria#1

Using $y=6$ as a regression curve

Table. Residuals at each point for $y=6$

x	y	$y_{\text{predicted}}$	$\varepsilon = y - y_{\text{predicted}}$
2.0	4.0	6.0	-2.0
3.0	6.0	6.0	0.0
2.0	6.0	6.0	0.0
3.0	8.0	6.0	2.0
			$\sum_{i=1}^4 \varepsilon_i = 0$




Figure. Regression curve for $y=6$, y vs. x data



Linear Regression – Criterion #1

$$\sum_{i=1}^4 \varepsilon_i = 0 \quad \text{for both regression models of } y=4x-4 \text{ and } y=6.$$

The sum of the residuals is as small as possible, that is zero, but the regression model is not unique.

Hence the above criterion of minimizing the sum of the residuals is a bad criterion.

Linear Regression-Criterion#2

Will minimizing $\sum_{i=1}^n |\epsilon_i|$ work any better?




Figure. Linear regression of y vs. x data showing residuals at a typical point, x_i .

Linear Regression-Criteria 2

Using $y=4x-4$ as the regression curve

Table. The absolute residuals employing the $y=4x-4$ regression model

x	y	$y_{\text{predicted}}$	$ \varepsilon = y - y_{\text{predicted}} $
2.0	4.0	4.0	0.0
3.0	6.0	8.0	2.0
2.0	6.0	4.0	2.0
3.0	8.0	8.0	0.0
			$\sum_{i=1}^4 \varepsilon_i = 4$




Figure. Regression curve for $y=4x-4$, y vs. x data

Linear Regression-Criteria#2

Using $y=6$ as a regression curve

Table. Absolute residuals employing the $y=6$ model

x	y	$y_{\text{predicted}}$	$ \epsilon = y - y_{\text{predicted}} $
2.0	4.0	6.0	2.0
3.0	6.0	6.0	0.0
2.0	6.0	6.0	0.0
3.0	8.0	6.0	2.0
			$\sum_{i=1}^4 \epsilon_i = 4$




Figure. Regression curve for $y=6$, y vs. x data



Linear Regression-Criterion#2

$$\sum_{i=1}^4 |\varepsilon_i| = 4 \text{ for both regression models of } y=4x-4 \text{ and } y=6.$$

The sum of the errors has been made as small as possible, that is 4, but the regression model is not unique.

Hence the above criterion of minimizing the sum of the absolute value of the residuals is also a bad criterion.

Can you find a regression line for which $\sum_{i=1}^4 |\varepsilon_i| < 4$ and has unique regression coefficients?

Least Squares Criterion

The least squares criterion minimizes the sum of the square of the residuals in the model, and also produces a unique line.

$$S_r = \sum_{i=1}^n \varepsilon_i^2 = \sum_{i=1}^n (y_i - a_0 - a_1 x_i)^2$$




Figure. Linear regression of y vs. x data showing residuals at a typical point, x_i .



Finding Constants of Linear Model

Minimize the sum of the square of the residuals: $S_r = \sum_{i=1}^n \varepsilon_i^2 = \sum_{i=1}^n (y_i - a_0 - a_1 x_i)^2$

To find a_0 and a_1 we minimize S_r with respect to a_1 and a_0 .

$$\frac{\partial S_r}{\partial a_0} = -2 \sum_{i=1}^n (y_i - a_0 - a_1 x_i)(-1) = 0$$

$$\frac{\partial S_r}{\partial a_1} = -2 \sum_{i=1}^n (y_i - a_0 - a_1 x_i)(-x_i) = 0$$

giving

$$\sum_{i=1}^n a_0 + \sum_{i=1}^n a_1 x_i = \sum_{i=1}^n y_i$$

$$(a_0 = \bar{y} - a_1 \bar{x})$$

$$\sum_{i=1}^n a_0 x_i + \sum_{i=1}^n a_1 x_i^2 = \sum_{i=1}^n y_i x_i$$



Finding Constants of Linear Model

Solving for a_0 and a_1 directly yields,

$$a_1 = \frac{n \sum_{i=1}^n x_i y_i - \sum_{i=1}^n x_i \sum_{i=1}^n y_i}{n \sum_{i=1}^n x_i^2 - \left(\sum_{i=1}^n x_i \right)^2}$$

and

$$a_0 = \frac{\sum_{i=1}^n x_i^2 \sum_{i=1}^n y_i - \sum_{i=1}^n x_i \sum_{i=1}^n x_i y_i}{n \sum_{i=1}^n x_i^2 - \left(\sum_{i=1}^n x_i \right)^2} \quad (a_0 = \bar{y} - a_1 \bar{x})$$

Example 1

To simplify a model for a diode, it is approximated by a forward bias model consisting of DC voltage, and resistor . Below are the current vs. voltage data that is collected for a small signal.

Table. Data points for I vs. V

V (volts)	I (amps)
0.6	0.01
0.7	0.05
0.8	0.20
0.9	0.70
1.0	2.00
1.1	4.00




Figure. Data points for I vs. V data.



Example 1 cont.

The I vs. V data is regressed to $I = B_1V + B_0$

Once B_0 and B_1 are known, V_d and R_d can be calculated as

$$V_d = -\frac{B_0}{B_1} \quad \text{and} \quad R_d = \frac{1}{B_1}$$

Find the value of V_d and R_d



Example 1 cont.

The necessary summations are given as,

Table. Necessary summations for the calculation of constants for linear model.

V	I	V^2	$V \times I$
<i>Volts</i>	<i>Amperes</i>	<i>Volts²</i>	<i>Volt-Amps</i>
0.6	0.01	0.36	0.006
0.7	0.05	0.49	0.035
0.8	0.20	0.64	0.16
0.9	0.70	0.81	0.63
1.0	2.00	1.0	2.00
1.1	4.00	1.21	4.40
5.1	6.96	4.51	7.231

With $n = 6$

$$\begin{aligned} B_1 &= \frac{n \sum_{i=1}^6 V_i I_i - \sum_{i=1}^6 V_i \sum_{i=1}^6 I_i}{n \sum_{i=1}^6 V_i^2 - \left(\sum_{i=1}^6 V_i \right)^2} \\ &= \frac{6(7.231) - (5.1)(6.96)}{6(4.51) - (5.1)^2} \\ &= 7.514 \text{ (A/V)} \end{aligned}$$

$\sum_{i=1}^7$



Example 1 cont.

We can now calculate B_0 using $B_0 = \bar{I} - B_1 \bar{V}$ where

$$\bar{I} = \frac{\sum_{i=1}^6 I_i}{n} = 1.16A \quad \bar{V} = \frac{\sum_{i=1}^6 V_i}{n} = 0.85V$$

$$\begin{aligned} B_0 &= \bar{I} - B_1 \bar{V} \\ &= 1.16 - (7.514)(0.85) \\ &= -5.2269A \end{aligned}$$

Example 1 cont.

This gives the equation $I = 7.514V - 5.2269$ as our linear regression model.




Figure. Linear regression of current vs. voltage



Example 1 cont.

Solving for V_d and R_d

$$V_d = -\frac{B_0}{B_1}$$

$$= -\left(\frac{-5.2269}{7.514}\right)$$

$$= 0.6956V$$

$$R_d = \frac{1}{B_1}$$

$$= \frac{1}{7.514}$$

$$= 0.1331\Omega$$

Example 2

To find the longitudinal modulus of composite, the following data is collected. Find the longitudinal modulus, E using the regression model

Table. Stress vs. Strain data

Strain (%)	Stress (MPa)
0	0
0.183	306
0.36	612
0.5324	917
0.702	1223
0.867	1529
1.0244	1835
1.1774	2140
1.329	2446
1.479	2752
1.5	2767
1.56	2896

$\sigma = E\varepsilon$ and the sum of the square of the residuals.




Figure. Data points for Stress vs. Strain data



Example 2 cont.

Residual at each point is given by

$$\gamma_i = \sigma_i - E\varepsilon_i$$

The sum of the square of the residuals then is

$$\begin{aligned} S_r &= \sum_{i=1}^n \gamma_i^2 \\ &= \sum_{i=1}^n (\sigma_i - E\varepsilon_i)^2 \end{aligned}$$

Differentiate with respect to E

$$\frac{\partial S_r}{\partial E} = \sum_{i=1}^n 2(\sigma_i - E\varepsilon_i)(-\varepsilon_i) = 0$$

Therefore

$$E = \frac{\sum_{i=1}^n \sigma_i \varepsilon_i}{\sum_{i=1}^n \varepsilon_i^2}$$

Example 2 cont.

Table. Summation data for regression model

i	ϵ	σ	ϵ^2	$\epsilon\sigma$
1	0.0000	0.0000	0.0000	0.0000
2	1.8300×10^{-3}	3.0600×10^8	3.3489×10^{-6}	5.5998×10^5
3	3.6000×10^{-3}	6.1200×10^8	1.2960×10^{-5}	2.2032×10^6
4	5.3240×10^{-3}	9.1700×10^8	2.8345×10^{-5}	4.8821×10^6
5	7.0200×10^{-3}	1.2230×10^9	4.9280×10^{-5}	8.5855×10^6
6	8.6700×10^{-3}	1.5290×10^9	7.5169×10^{-5}	1.3256×10^7
7	1.0244×10^{-2}	1.8350×10^9	1.0494×10^{-4}	1.8798×10^7
8	1.1774×10^{-2}	2.1400×10^9	1.3863×10^{-4}	2.5196×10^7
9	1.3290×10^{-2}	2.4460×10^9	1.7662×10^{-4}	3.2507×10^7
10	1.4790×10^{-2}	2.7520×10^9	2.1874×10^{-4}	4.0702×10^7
11	1.5000×10^{-2}	2.7670×10^9	2.2500×10^{-4}	4.1505×10^7
12	1.5600×10^{-2}	2.8960×10^9	2.4336×10^{-4}	4.5178×10^7
$\sum_{i=1}^{12}$			1.2764×10^{-3}	2.3337×10^8

With

$$\sum_{i=1}^{12} \epsilon_i^2 = 1.2764 \times 10^{-3}$$

and

$$\sum_{i=1}^{12} \sigma_i \epsilon_i = 2.3337 \times 10^8$$

Using

$$\begin{aligned}
 E &= \frac{\sum_{i=1}^{12} \sigma_i \epsilon_i}{\sum_{i=1}^{12} \epsilon_i^2} \\
 &= \frac{2.3337 \times 10^{10}}{1.2764 \times 10^{-3}} \\
 &= 182.83 \text{ GPa}
 \end{aligned}$$

Example 2 Results

The equation $\sigma = 182.823\varepsilon$ describes the data.




Figure. Linear regression for Stress vs. Strain data