

Chapter 04.00A

Physical Problem for Simultaneous Linear Equations

General Engineering

Problem Statement

The upward velocity of a rocket is given at three different times in the following table

| Time, t | Velocity, v |
|-----------|---------------|
| s | m/s |
| 5 | 106.8 |
| 8 | 177.2 |
| 12 | 279.2 |

The velocity data is approximated by a polynomial as



Figure 1 A rocket launched into space¹

$$v(t) = at^2 + bt + c, \quad 5 \leq t \leq 12.$$

Set up the equations in matrix form to find the coefficients a, b, c of the velocity profile.

Solution

The polynomial is going through three data points (t_1, v_1) , (t_2, v_2) , and (t_3, v_3) where from the above table

$$t_1 = 5, v_1 = 106.8$$

$$t_2 = 8, v_2 = 177.2$$

$$t_3 = 12, v_3 = 279.2$$

Requiring that $v(t) = at^2 + bt + c$ passes through the three data points gives

$$v(t_1) = v_1 = at_1^2 + bt_1 + c$$

$$v(t_2) = v_2 = at_2^2 + bt_2 + c$$

$$v(t_3) = v_3 = at_3^2 + bt_3 + c$$

Substituting the data (t_1, v_1) , (t_2, v_2) , (t_3, v_3) gives

$$a(5^2) + b(5) + c = 106.8$$

$$a(8^2) + b(8) + c = 177.2$$

$$a(12^2) + b(12) + c = 279.2$$

or

$$25a + 5b + c = 106.8$$

$$64a + 8b + c = 177.2$$

$$144a + 12b + c = 279.2$$

This set of equations can be rewritten in the matrix form as

$$\begin{bmatrix} 25a + & 5b + & c \\ 64a + & 8b + & c \\ 144a + & 12b + & c \end{bmatrix} = \begin{bmatrix} 106.8 \\ 177.2 \\ 279.2 \end{bmatrix}$$

The above equation can be written as a linear combination as follows

$$a \begin{bmatrix} 25 \\ 64 \\ 144 \end{bmatrix} + b \begin{bmatrix} 5 \\ 8 \\ 12 \end{bmatrix} + c \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix} = \begin{bmatrix} 106.8 \\ 177.2 \\ 279.2 \end{bmatrix}$$

¹ Source of rocket picture: NASA Langley Research Center, Office of Education, edu.larc.nasa.gov/pstp/

and further using matrix multiplications gives

$$\begin{bmatrix} 25 & 5 & 1 \\ 64 & 8 & 1 \\ 144 & 12 & 1 \end{bmatrix} \begin{bmatrix} a \\ b \\ c \end{bmatrix} = \begin{bmatrix} 106.8 \\ 177.2 \\ 279.2 \end{bmatrix}$$

The solution of the above three simultaneous linear equations will give the value of a, b, c .

QUESTIONS

1. Solve for the values of a, b, c .
2. Verify if you get back the value of the velocity data at $t=5s$.
3. Estimate the velocity of the rocket at $t=7.5s$?
4. Estimate the acceleration of the rocket at $t=7.5 s$?
5. Estimate the distance covered by the rocket between $t=5.5 s$ and $8.9 s$.
6. If the following data is given for the velocity of the rocket as a function of time, and you are asked to use a quadratic polynomial to approximate the velocity profile to find the velocity at $t=16 s$, what data points would you choose and why?

| t | v(t) |
|------|--------|
| s | m/s |
| 0 | 0 |
| 10 | 227.04 |
| 15 | 362.78 |
| 20 | 517.35 |
| 22.5 | 602.97 |
| 30 | 901.67 |

SIMULTANEOUS LINEAR EQUATIONS

Topic Simultaneous Linear Equations

Summary Velocity profile of a rocket.

Major General Engineering

Authors Autar Kaw

Date December 7, 2008

Web Site <http://numericalmethods.eng.usf.edu>
